





# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

INTERNATIONAL APPLICATION PUBLISH	י עשה	UNDER THE FATERY COOPERATION	TREATT (FCT)
(51) International Patent Classification 6:		(11) International Publication Number:	WO 96/09829
A61K 31/74	A1	(43) International Publication Date:	4 April 1996 (04.04.96)
(21) International Application Number: PCT/US  (22) International Filing Date: 26 September 1995 (		BE, CH, DE, DK, ES, FR, GB, G	k, European patent (AT, R, IE, IT, LU, MC, NL,
(30) Priority Data: 08/313,418 27 September 1994 (27.09.9	)4) [	Published  With international search report.	
(71) Applicant: VIROTEX CORPORATION (US/US): S 4200 Research Forest Drive, The Woodlands, T (US).			
(72) Inventor: OSBORNE, David, W.; 19 Quiet Oak Ci Woodlands, TX 77381 (US).	rcle, T	he	
(74) Agent: PATTERSON, Melinda, L.; Arnold, White & P.O. Box 4433, Houston, TX 77210 (US).	: Durke	ce,	
(54) Title: IMPROVED TOPICAL CARRIERS FOR MU	COSA	L APPLICATIONS	
(57) Abstract			
A topical semisolid composition for use on mucosal aqueous matrix. The composition may be combined with a	memb ı therap	ranes comprising one or more hydrophilic polyr beutic agent to assist in healing mucosal lesions.	ners suspended in a non-

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	, Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liochtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Larvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Viet Nam
GA	Gabon				

5

10

15

#### IMPROVED TOPICAL CARRIERS FOR MUCOSAL APPLICATIONS

This present invention relates to topical carrier compositions which are capable of adhering to mucosal surfaces and which resist dissolution and/or erosion upon exposure to moisture. More specifically, the present invention relates to topical carrier compositions which may be used as vehicles for therapeutic agents in mucosal lesion treatments.

Many mucosal diseases are characterized by lesions localized on mucosal surfaces, particularly oral mucosal membranes such as buccal and gingival epithelium. These diseases include lichen planus, Behcet's syndrome, and canker sores. More generalized conditions, such as oral candidiasis, are also frequently encountered.

25

30

20

While topically-applied drug therapies are available for treatment of these conditions, the effectiveness of these drugs is typically hampered by the rapid dissolution of the carrier matrix. In fact, most preparations utilized for application to the oral mucosa are removed by saliva and the mechanical action of routine mouth movements within a few seconds of application. This does not allow sufficient time for the topically-applied therapeutic agent to be released from the formulation and delivered to the mucosal site. Consequently, a need exists for carrier compositions which are capable of remaining at the site of application for extended periods of time.

5

10

15

20

25

30

The present invention comprises a topical semisolid composition for use on mucosal membranes. The composition comprises one or more hydrophilic polymers suspended in a non-aqueous matrix. In one embodiment of the present invention, the hydrophilic polymer is cellulose gum, hydroxyethylcellulose, cross-linked acrylic acid polymers, PVM/PA copolymers, or combinations thereof.

In another embodiment of the present invention, the non-aqueous matrix is petrolatum, mineral oil, or combinations thereof. In still another embodiment, the non-aqueous matrix is a triglyceride. In another embodiment the non-aqueous matrix is a natural oil such as olive oil, peanut oil, almond oil, corn oil, or vegetable oil.

In a preferred embodiment of the present invention, the composition further comprises a therapeutic agent such as a local anesthetic, a corticosteroid, an antimicrobial or an antifungal.

The present invention is directed to novel, topical carrier compositions which may be applied to mucosal surfaces wherein the compositions are capable of forming a multi-layered coating over the treated mucosal site upon initial contact with moisture, wherein the coating comprises a hydrated adhesive layer proximate the mucosal surface, a non-aqueous matrix layer, and a hydrated top-coat film, and wherein said coating resists dissolution and/or erosion upon further contact with moisture.

The carrier compositions of the present invention comprise suspensions of rapidly hydrating hydrophilic polymers in non-aqueous matrices. As formulated, these compositions exhibit non-adhering, gel-like properties. However, upon contact with water, the exposed surfaces of the compositions are quickly hydrated to form a sealed, water-retardant film. The film resists further hydration within the non-aqueous matrix. Furthermore, if the composition is contacted with a moist

surface, an adhesive, water-retardant seal is formed between the composition and the surface such that the composition becomes fixedly disposed on the site. Thus, the present invention is highly effective in both adhering to mucosal surfaces and resisting dissolution and/or erosion upon exposure to moisture, due to the water-retardant film which forms around the carrier composition.

The hydrophilic polymer constituent of the compositions of the present invention may comprise, for example, calcium/sodium PVM/MA copolymer (commercially available as Gantrez MS-955 produced by GAF). Cellulose Gum (commercially available as CMC produced by Aqualon), hydroxyethylcellulose (commercially available as Natrosol produced by Aqualon), cross-linked acrylic acid polymers (such as the commercially available product Carbopol, produced by Goodrich), or PVM/MA copolymer (such as the commercially available product Stabileze, produced by ISP), or any combinations thereof.

15

10

5

The non-aqueous matrix component of the compositions of the present invention may comprise petrolatum, mineral oil, triglyceride, or a mixture of oils derived from natural sources, i.e., olive oil, peanut oil, almond oil, corn oil, or vegetable oil. The non-aqueous matrix may also comprise a mixture of the above compounds.

20

The hydrophilic polymer or combination of polymers as described above is preferably present in an amount equal to 2% to 40 weight percent of the overall composition. The nonaqueous matrix comprises the remainder of the formulation, i.e., about 60% to 98% by weight.

25

The present invention may be used as a carrier for therapeutic agents, especially medicinal agents used in the treatment of mucosal lesions. Examples of typical therapeutic agents include local anesthetics, corticosteroids, destructive

therapy agents, antimicrobials and antifungals. Some preferred concentrations of therapeutic agents are as follows:

For local anesthetics such as tetracaine, tetracaine hydrochloride, lidocaine, lidocaine hydrochloride, dyclonine hydrochloride, dimethisoquin hydrochloride, dibucaine, dibucaine hydrochloride, butamben picrate and pramoxine hydrochloride a preferred concentration is about 0.025% to 5% by weight of the total composition. For anesthetics such as benzocaine a preferred concentration is about 2% to 25% by weight;

10

15

20

5

For corticosteroids, such as betamethasone dipropionate, fluocinolone acetonide, betamethasone valerate, triamcinolone acetonide, clobetasol propionate, desoximetasone, diflorasone diacetate, amcinonide, flurandrenolide, hydrocortisone valerate, hydrocortisone butyrate, and desonide, a preferred concentration is about 0.01% to 1.0% by weight. Corticosteroids such as hydrocortisone or methylprednisolone acetate are preferably present in concentrations of about 0.2% to about 5.0% by weight.

Destructive therapy agents such as salicylic acid or lactic acid would preferably comprise about 2% to about 40% by weight of the composition. Cantharidin is preferably utilized in a concentration of about 0.1% to about 2.0%, and podophyllin would preferably be used in a concentration of about 5% to about 30% by weight.

25

30

Some typical antimicrobials and antifungals and their preferred weight concentrations include: silver sulfadiazine (0.2% to 5.0%), oxiconazole nitrate (0.1% to 5.0%), ciclopirox olamine (0.1% to 5.0%), ketoconazole (0.1% to 5.0%), miconazole nitrate (0.1% to 5.0%), butoconazole nitrate (0.1% to 5.0%), neomycin (0.1% to 2.0%), gramicidin (0.01% to 0.1%), chlortetracycline hydrochloride (1.0% to 5.0%), meclocycline sulfosalicylate (0.2% to 4.0%),

5

10

15

20

25

oxytetracycline (1.0% to 5.0%), and tetracycline hydrochloride (0.05% to 5.0%). Additionally, about 2.000 to about 10,000 units of Polymyxin B, or about 200 to about 1,000 units of bacitracin may be utilized.

The above recitations of typical therapeutic agents are for illustration only, and should not be considered a limitation on the scope of the present invention. Those of skill in the art will recognize other types of therapeutic agents that may be utilized, and the preferred concentrations of those other agents.

In applications utilizing therapeutic agents, the agents may be combined with the non-aqueous matrix of the present invention by any means known to those skilled in the art. Thereafter, the therapeutic topical composition may be applied to particular mucosal sites requiring treatment. Upon contact with water, such as from saliva, the composition will adhere to the mucosal site and form a protective, water-retardant film on all surfaces exposed to the moisture such that the therapeutic agents within the composition are available for delivery to the mucosal site for an extended period of time.

As a preferred embodiment, the carrier compositions of the present invention may be combined with any local anesthetic known in the art for treatment of canker sores and/or lesions produced by Behcet's syndrome. As another preferred embodiment, the carrier compositions may be combined with corticosteroid or cyclosporin A for the treatment of lichen planus.

To further illustrate the present invention, but not by way of limitation, the following examples are provided.

### Example 1

10% Mineral Oil, 4-20% Gantrez MS-955, 4-20% Cellulose Gum, 50-82% White Petrolatum.

5

#### Example 2

4-10% Natrosol, 4-10% Gantrez MS-955, 4-10% Cellulose Gum, 70-88% White Petrolatum.

### Example 3

15 10% Mineral Oil, 4-20% Gantrez MS-955, 4-10% Cellulose Gum, 70-82% White Petrolatum.

### Example 4

20

4-10% Carbopol, 4-10% Gantrez MS-955, 4-10% Cellulose Gum, 70-88% White Petrolatum.

Those skilled in the art will recognize that, while specific embodiments

have been illustrated and described, various modifications and changes may be made without departing from the spirit and scope of the invention.

#### **CLAIMS:**

1. A topical semisolid composition for use on mucosal membranes comprising one or more hydrophilic polymers suspended in a non-aqueous matrix.

5

- 2. The composition of claim 1 wherein the hydrophilic polymer is selected from the group consisting of cellulose gum, hydroxyethylcellulose, cross-linked acrylic acid polymers, PVM/MA copolymers, or a combination thereof.
- 3. The composition of claim 1 wherein the non-aqueous matrix is petrolatum, mineral oil, or a combination of petrolatum and mineral oil.

15

10

4. The composition of claim 1 wherein the non-aqueous matrix is a triglyceride.

20

5. The composition of claim 1 wherein the non-aqueous matrix is selected from the group consisting of olive oil, peanut oil, almond oil, corn oil, or vegetable oil.

25

30

- 6. The composition of claim 1 further comprising a therapeutic agent.
- 7. The composition of claim 6 wherein the therapeutic agent is a local anesthetic.

The composition of claim 7 wherein the local anesthetic is suitable for 8. treatment of canker sores or Behcet's syndrome.

5

9. The composition of claim 6 wherein the therapeutic agent is a corticosteroid.

The composition of claim 9 wherein the corticosteroid is suitable for the 10 10. treatment of lichen planus.

The composition of claim 9 wherein the corticosteroid is cyclosporin A.

15


11.

The composition of claim 6 wherein the therapeutic agent is an 12 antimicrobial or antifungal.

20



A. CLASSIFICATION OF SUBJECT MATTER  IPC(6) : A61K 31/74						
US CL: 514/78.02, 78.03, 78.05, 78.06, 78.07 According to International Patent Classification (IPC) or to both national classification and IPC						
B. FIELDS SEARCHED						
Minimum d	documentation searched (classification system follower	d by classification symbols)				
U.S. :	514/78.02, 78.03, 78.05, 78.06, 78.07					
Documenta	Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched					
	Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) STN; COMPOUNDS, ANTIVIRAL AND ANTIBIOTIC METHODS OF USE					
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.			
Y	GENNARO ET AL, "REMINGTO SCIENCES", published 1985 by M PA.), pages 805, 1285, 1295, 12	ack Publishing Co. (Easton	1-12			
Y	WINDHOLZ ET AL, "THE MERCK II MERCK & CO., Inc. (RAHWAY, N 2748, 2510, 212.	1-12				
CHEMICAL ABSTRACTS, Volume 112, Number 11, issued 12 MARCH 1990, YANGI ET AL, "DESTABILIZATION OF HERPES SIMPLEX VIRUS TYPE 1 VIRIONS BY LOCAL ANESTHETICS, ALKALINE pH, AND CALCIUM DEPLETION", page 63, column 1, Abstract No. 112:91623a.						
[▼] Eugh	her documents are listed in the continuation of Box C	. See patent family annex.				
	secial entegories of cited documents:	"T" later document published after the inte	ernational filing date or priority			
	ocument defining the general state of the art which is not considered be part of particular relevance	date and not in conflict with the applic principle or theory underlying the inv				
	rlier document published on or after the international filing date	"X" document of particular relevance; the considered novel or cannot be considered.				
cit	ecument which may throw doubts on priority claim(s) or which is ted to establish the publication date of another citation or other	when the document is taken alone  "Y" document of particular relevance: th	a claimed invention cannot be			
.O. qo	ecial reason (as specified) scurrent referring to an oral disclosure, use, exhibition or other cans	considered to involve an inventive combined with one or more other suc being obvious to a person skilled in the	step when the document is h documents, such combination			
	ocument published prior to the international filing date but later than e-priority date claimed	*&* document member of the same patent	family			
Date of the actual completion of the international search  Date of mailing of the international search report						
10 DECEMBER 1995 03 JAN 1996						
Commissio Box PCT	mailing address of the ISA/US oner of Patents and Trademarks on. D.C. 20231	Authorized officer RUSSELL TRAVERS	l for			
Facsimile N	No. (703) 305-3230	Telephone No. (703) 308-1235				



emational application No. PCT/US95/12288

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
<b>(</b>	CHEMICAL ABSTRACTS, Volumn 117, No, 19, issued 07 September 1992, Popp, "ANTIWART COMPOSITIONS CONTAINING KERATOLYTIC AGENTS" page 62, column 2, Abstract No. 117:97356r.	6-8, 10
	•	
	·	
		·